L Number	Hits	Search Text	DB	Time stamp
-	1	@ad<19991220 and 713/193.ccls. and cookie	USPAT; US-PGPUB	2004/06/25 07:57
-	9	@ad<19991220 and 713/193.ccls. and ((webpage) web adj page)	USPAT; US-PGPUB	2003/08/07 17:06
-	98	@ad<19991220 and 713/193.ccls. and password	USPAT; US-PGPUB	2003/08/07 17:07
-	328	@ad<19991220 and encrypting same password	USPAT; US-PGPUB	2003/08/08 06:41
-	33	@ad<19991220 and encrypting same password same first same second	USPAT; US-PGPUB	2003/08/08 07:28
-	6	@ad<19991220 and encrypting same cookie	USPAT; US-PGPUB	2004/06/29 10:58
-	9	@ad<19991220 and (encrypt adj first adj key)	USPAT; US-PGPUB	2003/08/08 07:44
-	323	@ad<19991220 and 713/193.ccls.	USPAT; US-PGPUB	2004/06/15 08:56
-	2	@ad<19991220 and 713/193.ccls. and specific adj machine	USPAT; US-PGPUB	2003/08/19 09:22
-	9	@ad<19991220 and 713/193.ccls. and content adj provider	USPAT; US-PGPUB	2003/08/08 08:28
-	40	@ad<19991220 and untrusted adj network	USPAT; US-PGPUB	2003/08/08 08:52
-	2521	@ad<19991220 and (first adj key) and (second adj key)	USPAT; US-PGPUB	2003/08/08 08:57
-	467	(@ad<19991220 and (first adj key) and (second adj key)) and encrypt$4	USPAT; US-PGPUB	2003/08/08 08:57
-	135	((@ad<19991220 and (first adj key) and (second adj key)) and encrypt$4) and password	USPAT; US-PGPUB	2003/08/08 09:39
-	186	@ad<19991220 and 380/283,284.ccls.	USPAT; US-PGPUB	2003/08/08 09:49
-	10	@ad<19991220 and 380/283,284.ccls. and control adj access	USPAT; US-PGPUB	2003/08/08 10:35
-	0	@ad<19991220 and key	IBM_TDB	2003/08/20 14:20
-	245	encrypt$ and key	IBM_TDB	2003/08/18 16:52
-	4	encrypt$ and key and content adj provider	IBM_TDB	2003/08/18 16:51
-	4	encrypt$ and key and content adj provider$	IBM_TDB	2003/08/18 16:51
-	460	@ad<19991220 and 713/202.ccls.	USPAT; US-PGPUB	2003/08/19 09:22
-	18	@ad<19991220 and 713/202.ccls. and one-time	USPAT; US-PGPUB	2003/08/19 09:26
-	44	@ad<19991220 and 713/$.ccls. and one-time adj password	USPAT; US-PGPUB	2003/08/19 09:29
-	38	@ad<19991220 and 713/$.ccls. and one-time adj password and key	USPAT; US-PGPUB	2003/08/19 09:29
-	25	@ad<19991220 and 713/$.ccls. and one-time adj password same key	USPAT; US-PGPUB	2003/08/19 09:36
-	154	@ad<19991220 and encrypt with key with password	USPAT; US-PGPUB	2003/08/19 09:39
-	9	@ad<19991220 and encrypt with key with password and stored adj file	USPAT; US-PGPUB	2003/08/19 09:49
-	1	"6006333".PN.	USPAT	2003/08/19 09:40
-	724	@ad<19991220 and virtual adj private adj network	USPAT; US-PGPUB	2003/08/19 09:48
-	34	@ad<19991220 and virtual adj private adj network and one-time	USPAT; US-PGPUB	2003/08/19 09:48
-	5	@ad<19991220 and encrypt with key with password and passport	USPAT; US-PGPUB	2003/08/19 09:54
-	57	@ad<19991220 and encrypt and key and password and passport	USPAT; US-PGPUB	2003/08/19 09:57
-	10	single adj (machine computer) same login	USPAT; US-PGPUB	2003/08/20 16:14
-	92	ad<19991230 and passport same web$	USPAT; US-PGPUB	2003/08/19 09:59
-	94	@ad<19991220 and 713/$.ccls. and cookie	USPAT; US-PGPUB	2003/08/20 09:54
-	20	@ad<19991220 and 713/$.ccls. and cookie and (machine same identif$)	USPAT; US-PGPUB	2003/08/20 12:59
-	3	baransky.inv.	USPAT; US-PGPUB	2003/08/20 10:12

-	16	franke.inv. and ibm	USPAT; US-PGPUB	2003/08/20 10:13
-	15	pattnaik.inv.	USPAT; US-PGPUB	2003/08/20 10:14
-	71	safford.inv.	USPAT; US-PGPUB	2003/08/20 10:14
-	22	safford.inv. and (ibm international)	USPAT; US-PGPUB	2003/08/20 10:15
-	26	wisniewski.inv. and (ibm international)	USPAT; US-PGPUB	2003/08/20 10:16
-	0	6510513.URPN.	USPAT	2003/08/20 10:50
-	46	5875296.URPN.	USPAT	2003/08/20 10:51
-	46	5875296.URPN.	USPAT	2003/08/20 10:51
-	46	5875296.URPN.	USPAT	2003/08/20 10:51
-	19	@ad<19991220 and (vpn virtual adj private adj network) and cookie and (machine same identif$)	USPAT; US-PGPUB	2003/08/20 11:19
-	324	@ad<19991220 and 713/193.ccls.	USPAT; US-PGPUB	2003/08/20 11:22
-	0	6421768.URPN.	USPAT	2003/08/20 11:48
-	0	6421768.URPN.	USPAT	2003/08/20 11:48
-	0	6421768.URPN.	USPAT	2003/08/20 11:48
-	0	6421768.URPN.	USPAT	2003/08/20 11:48
-	0	6421768.URPN.	USPAT	2003/08/20 11:48
-	0	6421768.URPN.	USPAT	2003/08/20 11:48
-	1	"6092196".PN.	USPAT	2003/08/20 11:48
-	1	"6092196".PN.	USPAT	2003/08/20 12:45
-	1	"6073241".PN.	USPAT	2003/08/20 12:45
-	1	"6061790".PN.	USPAT	2003/08/20 12:56
-	9	713/202.ccls. and 713/193.ccls.	USPAT; US-PGPUB	2003/08/20 12:59
-	20	@ad<19991220 and 713/$.ccls. and cookie and (machine same identif$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/20 14:22
-	128	@ad<19991220 and 713/$.ccls. and password with key and (machine same identif$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/20 13:40
-	20	@ad<19991220 and 713/$.ccls. and password with key same (machine same identif$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/20 13:44
-	3	@ad<19991220 and 713/$.ccls. and cookie with key and (machine same identif$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/20 13:45
-	5	@ad<19991220 and one-time with login	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/20 14:23
-	0	@ad<19991220 and 713/$.ccls. and one-time with handshake	USPAT; US-PGPUB	2003/08/20 14:32
-	1	@ad<19991220 and 713/$.ccls. and one adj time with handshake	USPAT; US-PGPUB	2003/08/20 14:32
-	50	@ad<19991220 and 713/$.ccls. and handshake same key	USPAT; US-PGPUB	2003/08/20 15:39
-	56	@ad<19991220 and cookie and password with key	USPAT; US-PGPUB	2003/08/20 16:08
-	831	one with time with authentication	USPAT; US-PGPUB	2003/08/20 16:14
-	447	one with time with authentication and web	USPAT; US-PGPUB	2003/08/20 16:15
-	643	(one with time with authentication) and encrypt$4	USPAT; US-PGPUB	2003/08/20 16:15
-	502	((one with time with authentication) and encrypt$4) and password	USPAT; US-PGPUB	2003/08/20 16:15

-	67	(((one with time with authentication) and encrypt$4) and password) and cookie	USPAT; US-PGPUB	2003/08/20 16:19
-	0	prevents with distributing with password and machine with identification	USPAT; US-PGPUB	2003/08/20 16:20
-	124	@ad<19991220 and "one-time password"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 08:08
-	66	wiser.inv.	USPAT; US-PGPUB	2003/08/26 09:21
-	1	6,389,535.pn.	USPAT; US-PGPUB	2003/08/26 10:02
-	951	@ad<19991220 and content adj provider	USPAT; US-PGPUB	2004/02/12 11:40
-	356	(@ad<19991220 and content adj provider) and encrypt$5	USPAT; US-PGPUB	2004/02/12 10:47
-	40	((@ad<19991220 and content adj provider) and encrypt$5) and master with key	USPAT; US-PGPUB	2004/02/12 11:28
-	3	(@ad<19991220 and content adj provider) and 380/281.ccls.	USPAT; US-PGPUB	2004/02/12 11:28
-	2969464	@ad<19991220	USPAT; US-PGPUB	2004/02/12 11:30
-	134	@ad<19991220 and 380/281.ccls.	USPAT; US-PGPUB	2004/02/12 11:30
-	59	(@ad<19991220 and 380/281.ccls.) and master with key	USPAT; US-PGPUB	2004/02/12 11:34
-	15	((@ad<19991220 and 380/281.ccls.) and master with key) and password	USPAT; US-PGPUB	2004/02/12 11:34
-	51	@ad<19991220 and content adj provider and encrypted adj key	USPAT; US-PGPUB	2004/02/12 11:54
-	17	(@ad<19991220 and content adj provider and encrypted adj key) and password	USPAT; US-PGPUB	2004/02/12 11:43
-	45	@ad<19991220 and password with encrypted adj key	USPAT; US-PGPUB	2004/02/12 11:58
-	34	@ad<19991220 and password same encrypted adj key and content	USPAT; US-PGPUB	2004/02/12 11:59
-	17	@ad<19991220 and password same encrypted adj key and content!	USPAT; US-PGPUB	2004/02/12 13:14
-	365	@ad<19991220 and encrypted adj key and content!	USPAT; US-PGPUB	2004/02/12 13:14
-	105	@ad<19991220 and encrypted adj key and content! and server and client	USPAT; US-PGPUB	2004/02/12 13:27
-	77	@ad<19991220 and encrypted adj key and content! and player	USPAT; US-PGPUB	2004/02/12 13:56
-	77	@ad<19991220 and encrypted adj key and content! and player and key	USPAT; US-PGPUB	2004/02/12 13:56
-	2974170	@ad<19991220	USPAT; US-PGPUB	2004/06/15 09:45
-	1164	@ad<19991220 and encrypt$2 with key with second	USPAT; US-PGPUB	2004/06/15 08:58
-	213	@ad<19991220 and encrypt$2 with second adj key	USPAT; US-PGPUB	2004/06/15 09:03
-	2	@ad<19991220 and encrypt$2 with second adj key with password	USPAT; US-PGPUB	2004/06/15 09:00
-	1	5991399.pn.	USPAT; US-PGPUB	2004/06/15 09:09
-	3	("4634807" | "4670857" | "5450489").PN.	USPAT	2004/06/15 09:05
-	3	@ad<19991220 and encrypted with cookie with stor$6 with client	USPAT	2004/06/15 09:06
-	3	@ad<19991220 and encrypt$2 near2 cookie with stor$6 with client	USPAT	2004/06/15 09:06
-	216	@ad<19991220 and 713/185.ccls.	USPAT; US-PGPUB	2004/06/15 11:01
-	6	(@ad<19991220 and 713/185.ccls.) and cookie	USPAT; US-PGPUB	2004/06/15 09:49
-	6	@ad<19991220 and encrypted adj cookie	USPAT; US-PGPUB	2004/06/15 09:53
-	128	@ad<19991220 and cookie and first same second same key	USPAT; US-PGPUB	2004/06/15 09:53
-	30	@ad<19991220 and cookie and first same second same key same encrypt$6	USPAT; US-PGPUB	2004/06/15 09:56

-	26	(@ad<19991220 and cookie and first same second same key same encrypt$6) and password	USPAT; US-PGPUB	2004/06/15 09:57
-	105	(@ad<19991220 and 713/185.ccls.) and password	USPAT; US-PGPUB	2004/06/15 11:01
-	54	(@ad<19991220 and 713/185.ccls.) and password with key	USPAT; US-PGPUB	2004/06/15 11:12
-	19	@ad<19991220 and client with stor$5 with token same authentica$6	USPAT; US-PGPUB	2004/06/15 11:15
-	5	@ad<19991220 and client with stor$5 with token and server with decrypt$5 with token	USPAT; US-PGPUB	2004/06/15 11:25
-	12	@ad<19991220 and client with token and server with decrypt$5 with token	USPAT; US-PGPUB	2004/06/15 11:26
-	56	6,092,196	USPAT; US-PGPUB	2004/06/17 12:51
-	1	6,092,196.pn.	USPAT; US-PGPUB	2004/06/17 12:51
-	2974170	@ad<19991220	USPAT; US-PGPUB	2004/06/17 12:59
-	5	@ad<19991220 and authentication and encrypt$6 with password with cookie	USPAT; US-PGPUB	2004/06/17 13:05
-	4	@ad<19991220 and authentication and key with password with cookie	USPAT; US-PGPUB	2004/06/17 13:19
-	9	@ad<19991220 and authentication and encrypt$6 same password with cookie	USPAT; US-PGPUB	2004/06/17 13:08
-	42	@ad<19991220 and authentication and key with password with token	USPAT; US-PGPUB	2004/06/17 14:14
-	13	@ad<19991220 and cookie with key same encrypt$5	USPAT; US-PGPUB	2004/06/17 14:15
-	6	@ad<19991220 and encrypt$5 adj cookie	USPAT; US-PGPUB	2004/06/17 16:43
-	25	@ad<19991220 and encrypt$5 near2 cookie	USPAT; US-PGPUB	2004/06/17 16:27
-	23	(@ad<19991220 and encrypt$5 near2 cookie) and password	USPAT; US-PGPUB	2004/06/17 16:28
-	3	@ad<19991220 and encrypt$5 adj token with authenticate	USPAT; US-PGPUB	2004/06/17 16:43
-	10	@ad<19991220 and encrypt$5 adj token with authenticat$3	USPAT; US-PGPUB	2004/06/17 16:43
-	14	("5235642" | "5560008" | "5642515" | "5684950" | "5689638" | "5706427" | "5708780" | "5790785" | "5818936" | "5841970" | "5864676" | "5875296" | "5908469" | "6006334").PN.	USPAT	2004/06/17 16:45
-	3	(("5235642" | "5560008" | "5642515" | "5684950" | "5689638" | "5706427" | "5708780" | "5790785" | "5818936" | "5841970" | "5864676" | "5875296" | "5908469" | "6006334").PN.) and cookie	USPAT	2004/06/17 16:45
-	0	mi.inv. and encrypt	USPAT; US-PGPUB	2004/06/24 09:41
-	627	mi.inv.	USPAT; US-PGPUB	2004/06/24 09:41
-	18	mi.inv. and intel	USPAT; US-PGPUB	2004/06/24 09:42
-	1	6418472.pn.	USPAT; US-PGPUB	2004/06/24 10:30
-	6	("4545012" | "4866769" | "5506961" | "5542087" | "5793861" | "5913227").PN.	USPAT	2004/06/24 10:22
-	2974377	@ad<19991220	USPAT; US-PGPUB	2004/06/24 10:22
-	438	@ad<19991220 and client same (transmit receive download$2) with agent	USPAT; US-PGPUB	2004/06/24 10:23
-	96	(@ad<19991220 and client same (transmit receive download$2) with agent) and agent with key	USPAT; US-PGPUB	2004/06/24 10:23
-	47	((@ad<19991220 and client same (transmit receive download$2) with agent) and agent with key) and authenticat$5	USPAT; US-PGPUB	2004/06/24 10:39
-	3	6418472.urpn.	USPAT; US-PGPUB	2004/06/24 10:30

-	5	("5710887" | "5745886" | "5903880" | "5960411" | "6072870").PN.	USPAT		2004/06/24 10:37
-	0	6378075.URPN.	USPAT		2004/06/24 10:37
-	4	@ad<19991220 and client with (receive download) with (agent) same authenticat$6	USPAT; US-PGPUB		2004/06/24 10:40
-	59	5875296.URPN.	USPAT		2004/06/24 10:50
-	36	5875296.URPN. and key	USPAT		2004/06/24 11:23
-	109	@ad<19991220 and tamper adj proof with (agent plug-in plug adj in module)	USPAT		2004/06/24 11:24
-	58	@ad<19991220 and tamper adj proof with (agent plug-in plug adj in module) and (agent plug-in plug adj in module) with key	USPAT		2004/06/24 11:25
-	36	(@ad<19991220 and tamper adj proof with (agent plug-in plug adj in module) and (agent plug-in plug adj in module) with key) and encrypt	USPAT		2004/06/24 11:31
-	114	@ad<19991220 and encrypted with token same authenticat$6	USPAT		2004/06/24 11:32
-	62	(@ad<19991220 and encrypted with token same authenticat$6) and password	USPAT		2004/06/24 11:36
-	60	((@ad<19991220 and encrypted with token same authenticat$6) and password) and key	USPAT		2004/06/24 11:44
-	213	@ad<19991220 and 713/185.ccls.	USPAT		2004/06/24 11:45
-	8	(@ad<19991220 and 713/185.ccls.) and 380/281,284.ccls.	USPAT		2004/06/24 11:48
-	16	(@ad<19991220 and 713/185.ccls.) and 380/277,280,45.ccls.	USPAT		2004/06/24 11:56
-	13	@ad<19991220 and encrypted with (cookie token) with key with password	USPAT		2004/06/24 12:03
-	157	@ad<19991220 and content with protection and player	USPAT		2004/06/24 12:08
-	123	@ad<19991220 and content with protection and player and key	USPAT		2004/06/24 12:09
-	24	@ad<19991220 and content with protection and player and key same password	USPAT		2004/06/24 12:16
-	14	@ad<19991220 and encrypted adj (media content) adj key	USPAT		2004/06/24 13:10
-	4	@ad<19991220 and encrypted adj cookie same authenticat$6	USPAT		2004/06/24 13:43
-	7	@ad<19991220 and (encrypted encoded protected) adj cookie same authenticat$6	USPAT		2004/06/24 13:43
-	20	@ad<19991220 and (encrypted encoded protected) adj (cookie token passport) same authenticat$6	USPAT		2004/06/24 13:46
-	21	@ad<19991220 and server same (private master) with key same decrypt$3 same (cookie token)	USPAT		2004/06/24 14:05
-	36	@ad<19991220 and server with decrypt$3 with (cookie token)	USPAT		2004/06/24 14:05
-	5	("5664098" | "6088450" | "6173400" | "6446209" | "6463534").PN.	USPAT		2004/06/24 14:47
-	1	6336187.pn.	USPAT		2004/06/24 14:47
-	738	@ad<19991220 and client with registration	USPAT; US-PGPUB; IBM_TDB		2004/06/24 15:31
-	42	@ad<19991220 and client with registration and cookie	USPAT; US-PGPUB; IBM_TDB		2004/06/24 15:32
-	6	@ad<19991220 and client with registration and cookie same encrypted	USPAT; US-PGPUB; IBM_TDB		2004/06/24 15:33
-	73	@ad<19991220 and cookie with key	USPAT; US-PGPUB; IBM_TDB		2004/06/24 15:33
-	13	@ad<19991220 and cookie with key same encrypt$5	USPAT; US-PGPUB; IBM_TDB		2004/06/24 17:46
-	6	@ad<19991220 and cookie with key same decrypt$5	USPAT; US-PGPUB; IBM_TDB		2004/06/24 15:33
-	2	("5671279" | "5710887").PN.	USPAT		2004/06/24 15:49

-	52	5963915.URPN.	USPAT	2004/06/24 15:49
-	1	6,078,866.pn.	USPAT; US-PGPUB; IBM_TDB	2004/06/24 17:48
-	2974377	@ad<19991220	USPAT; US-PGPUB	2004/06/24 17:48
-	24	@ad<19991220 and (one-time one adj time) adj password with encrypt$5	USPAT; US-PGPUB	2004/06/24 17:59
-	43	@ad<19991220 and (agent applet) with secret adj key	USPAT; US-PGPUB	2004/06/25 07:57
-	588	g^a	USPAT; US-PGPUB	2004/06/25 07:57
-	588	"g^a"	USPAT; US-PGPUB	2004/06/25 07:57
-	2974377	@ad<19991220	USPAT; US-PGPUB	2004/06/25 07:57
-	396	"g^a" and @ad<19991220	USPAT; US-PGPUB	2004/06/25 07:57
-	30	("g^a" and @ad<19991220) and "G^b"	USPAT; US-PGPUB	2004/06/25 07:57
-	30	("g^a" and @ad<19991220) and "g^b"	USPAT; US-PGPUB	2004/06/25 07:57
-	0	(("g^a" and @ad<19991220) and "g^b") and encrypt$5	USPAT; US-PGPUB	2004/06/25 07:58
-	12148	@ad<19991220 and ^a and ^b and encrypt$6	USPAT; US-PGPUB	2004/06/25 07:58
-	0	@ad<19991220 and $1^a and $1^b and encrypt$6	USPAT; US-PGPUB	2004/06/25 07:58
-	1	6226383.pn.	USPAT; US-PGPUB; IBM_TDB	2004/06/25 08:00
-	1	6226383.URPN.	USPAT	2004/06/25 08:02
-	12	("5124117" | "5241599" | "5440635" | "5469507" | "5515441" | "5708714" | "5721779" | "5724425" | "5796830" | "5796833" | "5933504" | "5953424").PN.	USPAT	2004/06/25 08:01
-	59	@ad<19991220 and 380/284.ccls.	USPAT	2004/06/25 08:03
-	16	(@ad<19991220 and 380/284.ccls.) and secret adj key	USPAT	2004/06/25 08:05
-	3	(@ad<19991220 and 380/284.ccls.) and shared adj secret	USPAT	2004/06/25 08:09
-	448	@ad<19991220 and shared adj secret	USPAT	2004/06/25 08:09
-	178	(@ad<19991220 and shared adj secret) and client and server	USPAT	2004/06/25 08:09
-	132	((@ad<19991220 and shared adj secret) and client and server) and password	USPAT	2004/06/25 08:09
-	58	((@ad<19991220 and shared adj secret) and client and server) and one with password	USPAT	2004/06/25 08:10
-	95	(applet agent) same key same (download$2 receiv$2) and content adj provider	USPAT; US-PGPUB	2004/06/29 10:21
-	44	(applet agent) same key same (download$2 receiv$2) same (decrypt$2 encrypt$2) and content adj provider	USPAT; US-PGPUB	2004/06/29 10:22
-	73	(applet agent) same key same (download$2 receiv$2) and (decrypt$2 encrypt$2) and content adj provider	USPAT; US-PGPUB	2004/06/29 10:22
-	40	((applet agent) same key same (download$2 receiv$2) and (decrypt$2 encrypt$2) and content adj provider) and password	USPAT; US-PGPUB	2004/06/29 10:22
-	1	6523067.URPN.	USPAT	2004/06/29 10:36
-	10	("4545012" | "4866769" | "5224166" | "5542087" | "6081900" | "6105027" | "6189103" | "6317838" | "6408336" | "6418472").PN.	USPAT	2004/06/29 10:36
-	2974564	@ad<19991220	USPAT; US-PGPUB	2004/06/29 10:58
-	4	@ad<19991220 and one with time with password same out with band	USPAT; US-PGPUB	2004/06/29 11:06
-	1	6418472.pn.	USPAT; US-PGPUB; IBM_TDB	2004/06/29 12:57